
## RIDING IN A JET GIVES YOU MORE CANCER AND MORE EXPLODING LITHIUM ION





## **POPULAR VIDEOS**

珻.

Flight atterisk of all study


range of cancers compared to the general population, a major study of cabin crew has found.

Researchers followed more than 5,000 crew and found that their risk of breast cancer increased more than 50 per cent, while risks of stomach cancers are raised by as much as 74 per cent.

The study cannot prove what causes this increase, but the authors said increased exposure to ionising radiation from time spent in the thinner upper atmosphere as well as disrupted sleep and meal cycles could be factors.

## **READ MORE**

BA cabin crew staff accept pay rise



rate of every cancer outcome it looked at when age was standardised.

"We report a higher lifetime prevalence of breast, melanoma and non-melanoma skin cancers among flight crew relative to the general population," said Dr Irina Mordukhovich of the Harvard TH Chan School of Public Health.

"This is striking given the low rates of overweight and smoking in this occupational group."

The increased cancer risk was seen in breast (3.4 per cent of flight crew

compared to 2.3 per cent in



## READ MORE

Sellafield nuclear plant faces prosecution after worker contaminated

They also found that risk of non-melanoma skin cancers rose with every five years spent in the job.

Flight attendants are exposed to multiple known and probable carcinogens in the cabin environment. These include altitude-based

radiation, disruption to the



job, including those in the nuclear industry, but this exposure is not required to be routinely monitored as in other sectors.

Many flight attendants were also exposed to high levels of secondhand tobacco smoke before inflight smoking bans were implemented.

Job tenure did not appear to be associated with breast cancer, thyroid cancer or melanoma in all women, but it was associated with higher risk of breast cancer in women who never had children and women who had three or more children,



The study of 5,366 attendants working on domestic and international flights in the US did not examine the health impact of frequent flying among airline passengers.

Authors said the findings suggested additional efforts should be made to minimise the risk of cancer among flight attendants, including monitoring radiation dose and organising schedules.

```
More about: | Flight
attendants | cabin
crew | Flying | Airlines | Radiation | C
ancer | Breast Cancer | skin cancer
```